



DRUPAL 6

PHPTEMPLATE THEMING CHEAT SHEET

Page.tpl.php Variables

<http://api.drupal.org/api/file/modules/system/page.tpl.php>

General utility variables

\$base_path	The base URL path of the Drupal installation. At the very least, this will always default to /.
\$css	An array of CSS files for the current page.
\$directory	The directory the theme is located in, e.g. themes/garland or themes/garland/minelli.
\$is_front	TRUE if the current page is the front page. Used to toggle the mission statement.
\$logged_in	TRUE if the user is registered and signed in.
\$is_admin	TRUE if the user has permission to access administration pages.

Page metadata

\$language	(object) The language the site is being displayed in. \$language->language contains its textual representation. \$language->dir contains the language direction. It will either be 'ltr' or 'rtl'.
\$head_title	A modified version of the page title, for use in the TITLE tag.
\$head	Markup for the HEAD section (including meta tags, keyword tags, and so on).
\$styles	Style tags necessary to import all CSS files for the page.
\$scripts	Script tags necessary to load the JavaScript files and settings for the page.
\$body_classes	A set of CSS classes for the BODY tag. This contains flags indicating the current layout (multiple columns, single column), the current path, whether the user is logged in, and so on.

Site identity

\$front_page	The URL of the front page. Use this instead of \$base_path, when linking to the front page. This includes the language domain or prefix.
\$logo	The path to the logo image, as defined in theme configuration.
\$site_name	The name of the site, empty when display has been disabled in theme settings.
\$site_slogan	The slogan of the site, empty when display has been disabled in theme settings.
\$mission	The text of the site mission, empty when display has been disabled in theme settings.

Navigation

\$search_box	HTML to display the search box, empty if search has been disabled.
\$primary_links (array)	An array containing primary navigation links for the site, if they have been configured.
\$secondary_links (array)	An array containing secondary navigation links for the site, if they have been configured.
Page content (in order of occurrence in the default page.tpl.php)	
\$left	The HTML for the left sidebar.
\$breadcrumb	The breadcrumb trail for the current page.
\$title	The page title, for use in the actual HTML content.
\$help	Dynamic help text, mostly for admin pages.
\$messages	HTML for status and error messages. Should be displayed prominently.
\$tabs	Tabs linking to any sub-pages beneath the current page (e.g., the view and edit tabs when displaying a node).
\$content	The main content of the current Drupal page.
\$right	The HTML for the right sidebar.

Footer/closing data

\$feed_icons	A string of all feed icons for the current page.
\$footer_message	The footer message as defined in the admin settings.
\$footer	The footer region.
\$closure	Final closing markup from any modules that have altered the page. This variable should always be output last, after all other dynamic content.

Node.tpl.php Variables

<http://api.drupal.org/api/file/modules/node/node.tpl.php/6>

Available variables

\$title	the (sanitized) title of the node.
\$content	Node body or teaser depending on \$teaser flag.
\$picture	The authors picture of the node output from theme_user_picture().
\$date	Formatted creation date (use \$created to reformat with format_date()).
\$links	Themed links like "Read more", "Add new comment", etc. output from theme_links().
\$name	Themed username of node author output from theme_user().
\$node_url	Direct url of the current node.
\$terms	the themed list of taxonomy term links output from theme_links().
\$submitted	themed submission information output from theme_node_submitted().

Other variables

\$node	Full node object. Contains data that may not be safe.
\$type	Node type, i.e. story, page, blog, etc.
\$comment_count	Number of comments attached to the node.
\$uid	User ID of the node author.
\$created	Time the node was published formatted in Unix timestamp.
\$zebra	Outputs either "even" or "odd". Useful for zebra striping in teaser listings.
\$id	Position of the node. Increments each time it's output.

Node status variables

\$teaser	Flag for the teaser state.
\$page	Flag for the full page state.
\$promote	Flag for front page promotion state.
\$sticky	Flags for sticky post setting.
\$status	Flag for published status.
\$comment	State of comment settings for the node.
\$readmore	Flags true if the teaser content of the node cannot hold the main body content.
\$is_front	Flags true when presented in the front page.
\$logged_in	Flags true when the current user is a logged-in member.
\$is_admin	Flags true when the current user is an administrator.

Comment.tpl.php Variables

<http://api.drupal.org/api/file/modules/comment/comment.tpl.php/6>

Available variables

\$author	Comment author. Can be link or plain text.
\$content	Body of the post.
\$date	Date and time of posting.
\$links	Various operational links.
\$new	New comment marker.
\$picture	Authors picture.
\$signature	Authors signature.
\$status	Comment status. Possible values are comment-unpublished, comment-published or comment-preview.
\$submitted	By line with date and time.
\$title	Linked title.

These two variables are provided for context.

\$comment	Full comment object.
\$node	Node object the comments are attached to.

Box.tpl.php Variables

<http://api.drupal.org/api/file/modules/system/box.tpl.php/6>

Available variables

\$title	Box title.
\$content	Box content.

Common Template Files (http://drupal.org/node/171194)	
Filename [themename].info	Description Meta data, style sheets, JavaScripts, block regions and more can be defined here.
(required)	
page.tpl.php	main template file, controls the display of most content
template.php	all the conditional logic and data processing of the output
screenshot.png	thumbnail screenshot of the theme
logo.png	graphic file of the site's logo
node.tpl.php	controls node display
block.tpl.php	controls block display
comment.tpl.php	controls comment display
box.tpl.php	obscure and rarely used
page-front.tpl.php	used to display a custom front page

URL Based Template Files (http://drupal.org/node/190815) (ex: http://www.example.com/node/1/edit)	
page-node-edit.tpl.php	
page-node-1.tpl.php	
page-node.tpl.php	
page.tpl.php	

Block Template Files (http://drupal.org/node/190815)	
block-[module]-[delta].tpl.php	
block-[module].tpl.php	
block-[region].tpl.php	
block.tpl.php	

Nodetype Template Files (http://drupal.org/node/190815)	
node-[nodetype].tpl.php	

Page.tpl.php Code (<http://api.drupal.org/api/file/modules/system/page.tpl.php/6/source>)
adapted from: <http://www.nerdiness.com/article/2007/09/10/drupal-theming>

Head	<head> <title><?php print \$head_title; ?></title> <?php print \$head; ?> <?php print \$styles; ?> <?php print \$scripts; ?> <script type="text/javascript"><?php /* Needed to avoid Flash of Unstyled Content in IE */ ?> </script> </head>
Search Box	<?php if (!empty(\$search_box)): ?> <?php print \$search_box; ?> <?php endif; ?>
Logo	<?php if (!empty(\$logo)): ?> <a href=<?php print \$front_page; ?>" title=<?php print t('Home'); ?>" rel="home" id="logo"> <img src=<?php print \$logo; ?>" alt=<?php print t('Home'); ?>" /> <?php endif; ?>
Site Name	<?php if (!empty(\$site_name)): ?> <h1 id="site-name"> <a href=<?php print \$front_page ?>" title=<?php print t('Home'); ?>" rel="home"> <?php print \$site_name; ?> </h1> <?php endif; ?>
Site Slogan	<?php if (!empty(\$site_slogan)): ?> <?php print \$site_slogan; ?> <?php endif; ?>
Main Navigation	<?php if (!empty(\$primary_links)): ?> <?php print theme('links', \$primary_links, array('class' => 'links primary-links')); ?> <?php endif; ?>
Header Content	<?php if (!empty(\$header)): ?> <?php print \$header; ?> <?php endif; ?>
Left Sidebar	<?php if (!empty(\$left)): ?> <?php print \$left; ?> <?php endif; ?>
Right Sidebar	<?php if (!empty(\$right)): ?> <?php print \$right; ?> <?php endif; ?>
Main Content	<?php if (!empty(\$title)): ?><h1 class="title" id="page-title"><?php print \$title; ?></h1><?php endif; ?> <?php if (!empty(\$tabs)): ?><div class="tabs"><?php print \$tabs; ?></div><?php endif; ?> <?php if (!empty(\$messages)): print \$messages; endif; ?> <?php if (!empty(\$help)): print \$help; endif; ?> <?php print \$content; ?> <?php print \$feed_icons; ?>
Footer	<?php print \$footer_message; ?> <?php if (!empty(\$footer)): print \$footer; endif; ?>
Closing HTML	<?php print \$closure ?> </body> </html>

Reference Links:

Drupal 6 theme guide	http://drupal.org/theme-guide/6
How I converted my HTML template into a Drupal 6 theme	http://drupaltherapy.com/node/52
Theme developer module for Drupal 6 - Screencast	http://drupal.org/node/209561
Overriding functions	http://drupal.org/node/173880#function-override
Themeable functions	http://api.drupal.org/api/group/themeable
Assigning content to regions	http://drupal.org/node/171224
Theming Views 2 – The Basics	http://www.group42.ca/theming_views_2_the_basics
Create A Base Style.css File	http://mydrupalblog.lhmdesign.com/create-base-style-css-file
Default baseline variables (available to all template files)	http://drupal.org/node/226776
Devel module	http://drupal.org/project/devel